



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/817,125	04/02/2004	Nabil L. Muhanna	-M112 1140.1	1507

26158 7590 01/30/2007
WOMBLE CARLYLE SANDRIDGE & RICE, PLLC
ATTN: PATENT DOCKETING 32ND FLOOR
P.O. BOX 7037
ATLANTA, GA 30357-0037

EXAMINER

SWIGER III, JAMES L

ART UNIT	PAPER NUMBER
----------	--------------

3733

SHORTENED STATUTORY PERIOD OF RESPONSE	MAIL DATE	DELIVERY MODE
3 MONTHS	01/30/2007	PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

If NO period for reply is specified above, the maximum statutory period will apply and will expire 6 MONTHS from the mailing date of this communication.

Office Action Summary	Application No. 10/817,125	Applicant(s) MUHANNA ET AL.	
	Examiner James L. Swiger	Art Unit 3733	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 11/15/2006.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-33 is/are pending in the application.
- 4a) Of the above claim(s) 30-33 is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1-29 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☒ The drawing(s) filed on 4/2/2004 is/are: a) ☒ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. _____.
 3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- | | |
|--|---|
| 1) <input checked="" type="checkbox"/> Notice of References Cited (PTO-892) | 4) <input type="checkbox"/> Interview Summary (PTO-413)
Paper No(s)/Mail Date. _____ |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | 5) <input type="checkbox"/> Notice of Informal Patent Application |
| 3) <input type="checkbox"/> Information Disclosure Statement(s) (PTO/SB/08)
Paper No(s)/Mail Date _____ | 6) <input type="checkbox"/> Other: _____ |

DETAILED ACTION

Continued Examination Under 37 CFR 1.114

A request for continued examination under 37 CFR 1.114, including the fee set forth in 37 CFR 1.17(e), was filed in this application after final rejection. Since this application is eligible for continued examination under 37 CFR 1.114, and the fee set forth in 37 CFR 1.17(e) has been timely paid, the finality of the previous Office action has been withdrawn pursuant to 37 CFR 1.114. Applicant's submission filed on 11/15/2006 has been entered.

Claim Rejections - 35 USC § 102

(b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.

Claims 1, 4-6, 8, 18, 23, and 27-28 are rejected under 35 U.S.C. 102(b) as being anticipated by Tatar (U.S. Patent No. 5,910,142). Tatar discloses a device having a pedicle screw (100), and a pair of spaced-apart threaded posts (125a and 125b), that may be defined as a yoke since it harness or the components of the device. The threaded posts define a channel (122), a ball collet (Fig. 3) that is insertable into the channel, a rod (150) having first and second ends, wherein the first end is capable of being inserted into the ball collet bore (See fig. 5), a threaded cap (140) configured and dimensioned to mate with the threaded posts and that which provides a compressive force on the ball collet (see lines 14-15 of the abstract). The device disclosed by Tatar is also capable of being adjusted in a disassembled state, but in the assembled state (see Fig. 5) the ball collet (130) is seated in the channel (126), which may be considered

Art Unit: 3733

concave. The rod also goes through the bore of the collet and the cap (140) is screw-coupled to the posts (125a and 125b), which have threads on the inner surfaces (124). These threads are considered integral at least with the insertion portion of the yoke portion. The yoke portion is considered fixed relative to the threaded insertion portion (upper part), which may be considered a functional limitation of the structure. Considering the entire upper portion as a yoke, the individual 'posts' of the yoke are threaded on the inner surfaces and create a concave seat.

Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

Claim 2 and 3 are rejected under 35 U.S.C. 103(a) as being unpatentable over Tatar '142, in view of Doubler et al. (U.S. PG-PUB 2005/0070899 A1). Tatar discloses the claimed invention except for a crown having a cylindrical skirt and a radially inwardly projecting flange. Doubler et al. '899 discloses a crown with a cylindrical skirt and flange (see Figure X below) that enables the user to engage the outer spherical surface of the pedicle screw (par 0066) while this skirt rests on the inwardly projecting flange to more evenly distribute force throughout the connection (see bottom of par. 0075). It would have been obvious to one having ordinary skill in the art at the time the invention was made to construct the device of Tatar having at least the crown and skirt and inwardly projecting flange in view of Doubler et al. to better enable the surgeon to better


Art Unit: 3733

secure the rods in the place after adjusting during the surgical procedure.


Claims 7 and 9 are rejected under 35 U.S.C. 103(a) as being unpatentable over Tatar '142 in view of Sgier et al. (US Publication 2005/0171538). Tatar discloses the claimed invention except for a plurality of slots spaced about the surface of the ball collet in alternating fashion to connect with the bore. Sgier et al. disclose slots (6) that communicate with the surrounding area of the bore (par. 0019) to better fit within the cavity (par. 0012). It would have been obvious to one having ordinary skill in the art at the time the invention was made to construct the device of Tatar having at least a ball collet with alternating slots in view of Sgier et al. to better secure the rod and collet within the bore.

Claims 10-18, 17-22, and 25-26 are rejected under 35 U.S.C. 103(a) as being unpatentable over Tatar '142 in view of Ferree (US Patent 6,802,844). Tatar discloses the claimed invention except for at least a second end of the rod to have a spherical ball member, a rod having a second end with a convex surface that faces an inboard side (having a central recess) of a second end, multiple components (i.e. first, second, or third pedicle screws, first and second caps, multiple pedicle screws and rods with ends).

Ferree disclose a spinal apparatus having a rod with at least one bulbous end (Fig. 36), and an end with a convex end facing the inboard side of an end (see below)



Ferree also discloses multiple components (i.e. first, second, or third pedicle screws, first and second caps, multiple pedicle screws and rods with ends); see below.



These modifications help the device to better conform to the to the vertebrae and allow for various angles (see Col. 8, lines 36-39) of the components to better fit to the spine. See also Col. 2, lines 14-38). It would have been obvious to one having ordinary skill in the art at the time the invention was made to construct the device of Tatar having at least at least a second end of the rod to have a spherical ball member, a rod having a second end with a convex surface that faces an inboard side (having a central recess) of a second end, and multiple components to better arrange the assembly in use.

Claim 24 is rejected under 35 U.S.C. 103(a) as being unpatentable over Tatar in view of Griss (US Patent 5,536,268). Tatar discloses the claimed invention except for the pedicle screw to be formed from titanium or an alloy thereof. Griss discloses within the scope of the invention the use of titanium or similar allow (Col. 6, lines 53-60). It would have been obvious to one having ordinary skill in the art at the time the invention

was made to construct the device of Tatar having at least the use of titanium as a material in view of Griss so the invention is biocompatible.

Claim 29 is rejected under 35 U.S.C. 103(a) as being unpatentable over the combination of Tatar '142 and Sgier et al. '538 and Griss '268.

Tatar discloses a device having a pedicle screw (100), and a pair of spaced-apart threaded posts (125a and 125b), that may be defined as a yoke since it harness or the components of the device. The threaded posts define a channel (122), a ball collet (Fig. 3) that is insertable into the channel, a rod (150) having first and second ends, wherein the first end is capable of being inserted into the ball collet bore (See fig. 5), a threaded cap (140) configured and dimensioned to mate with the threaded posts and that which provides a compressive force on the ball collet (see lines 14-15 of the abstract). The device disclosed by Tatar is also capable of being adjusted in a disassembled state, but in the assembled state (see Fig. 5) the ball collet (130) is seated in the channel (126), which may be considered concave. The rod also goes through the bore of the collet and the cap (140) is screw-coupled to the posts (125a and 125b), which have threads on the inner surfaces (124). These threads are considered integral at least with the insertion portion of the yoke portion. The yoke portion is considered fixed relative to the threaded insertion portion (upper part), which may be considered a functional limitation of the structure. Considering the entire upper portion as a yoke, the individual 'posts' of the yoke are threaded on the inner surfaces and create a concave seat.

Tatar disclose the claimed invention except for a ball collet with a plurality of slots in alternating fashion. Tatar discloses the claimed invention except for a plurality of

Art Unit: 3733

slots spaced about the surface of the ball collet in alternating fashion to connect with the bore. Sgier et al. disclose slots (6) that communicate with the surrounding area of the bore (par. 0019) to better fit within the cavity (par. 0012).

Tatar discloses the claimed invention except for the pedicle screw to be formed from titanium or an alloy thereof. Griss discloses within the scope of the invention the use of titanium or similar allow (Col. 6, lines 53-60).

It would have been obvious to one having ordinary skill in the art at the time the invention was made to construct the device of Tatar having at least a ball collet with alternating slots or a material of titanium in view of the combination of Sgier et al. and Griss to better use the device and be associated with the body.

Allowable Subject Matter

The indicated allowability of claims 9 and 29 is withdrawn in view of the newly discovered reference(s) to Sgier et al. (US Pub 2005/0171538). Rejections based on the newly cited reference(s) follow.

Response to Arguments

Applicant's arguments with respect to claims 1-29 have been considered but are moot in view of the new ground(s) of rejection.

Conclusion

The prior art made of record and not relied upon is considered pertinent to applicant's disclosure.

Art Unit: 3733


Any inquiry concerning this communication or earlier communications from the examiner should be directed to James L. Swiger whose telephone number is 571-272-5557. The examiner can normally be reached on Monday through Friday, 9:00am to 5:30pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Eduardo Robert can be reached on 571-272-4719. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

JS 1/21/07

JLS


EDUARDO C. ROBERT
SUPERVISORY PATENT EXAMINER